


TECHNICAL GUIDE SLIDER24



A+



Nothing outperforms Deceuninck's new Slider24...

Three times more effective in bad weather than other leading brands. Unique design ensures robust long-life weather performance. It is also the most

secure sliding patio door on the market with a future-proof PAS24 compliant certificate and top of the range Yale locking hardware.

No other sliding patio comes close...

deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk


August 2017

Document No:
82125-8104
Slider24 Patio Door



Sash reinforcement options capable of withstanding wind pressures of up to 1200Pa


Uniform back of frame for platform ancillary compatibility




28mm double
36mm triple
glazing options

Dedicated midrail for letter plates with integral screw ports for joining mechanically

Bevelled and decorative bead options



Durable stainless steel track



key features

- Robust profile construction designed to withstand extreme loads
- Best in class weather performance, air and water tightness up to 3 times better than the competition
- Certified to the latest enhanced security standard PAS24 Secured by Design approved
- Available in a vast array of foil colour options (26) all from UK stock
- A+ WER Rating
- Both Aluminium and PVC-u interlock options
- Sturdy clip-fit trim fixings
- Part M Compliant low threshold

deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

August 2017

Document No:
82125-8104
Slider24 Patio Door


Weather test results

		Full Frame	Low Threshold
	Size Tested	2.4 x 2.08	2.4 x 2.06
Air Permeability	Class	A4	A4
	Rating	600 Pa	600 Pa
Water tightness	Class	E8A	E5A
	Rating	450 Pa	200 Pa
Wind Resistance	Class	A3	A3
	Rating	1200 Pa	1200 Pa



U-Values

4/20/4 Argon Cavity		4/12/4/12/4 Argon Cavity	
U_g 1.219	U_g 1.070	U_g 0.763	U_g 0.674
U_w 1.4	U_w 1.3	U_w 1.0	U_w 0.98



DSER's

4/20/4 Argon Cavity	4/12/4/12/4 Argon Cavity
A+ 16	A++ 21





Heritage Colour Collection

26 Colourways from stock		Chartwell Green White PVC inside	Irish Oak White PVC inside	Golden Oak White PVC inside	Rosewood White PVC inside	Nut Tree White PVC inside
Anthracite Grey White PVC inside	Black Ash White PVC inside	White Grain White PVC inside	Classic Cream White PVC inside	Agate Grey Heritage White inside	Anthracite Smooth Heritage White inside	Ice Cream Heritage White inside
Heritage White Heritage White inside	Black Ash Heritage White inside	English Oak Heritage White inside	Heritage White English Oak inside	Classic Cream Classic Cream inside	Chartwell Green Chartwell Green inside	White Grain White Grain inside
Rosewood Rosewood inside	Nut Tree Nut Tree inside	Anthracite Grey Anthracite Grey inside	Black Ash Black Ash inside	Irish Oak Irish Oak inside	Golden Oak Golden Oak inside	English Oak English Oak inside

A unique range of woodgrain foil colours in 26 colourways from stock, complete with matching ancillaries, trims and accessories.

- Beautiful authentic 'wood like' finish
- Extremely durable
- 10 year manufacturer's guarantee
- Each colour has its own matching ancillaries, trims and accessories
- Available from stock



Deceuninck Limited
 Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
 T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

August 2017
 Document No:
 82125-8104
 Slider24 Patio Door